

Taxonomy and evolution

- 1 Scherer S, Hilsberg T** (1982) Hybridisierung und Verwandtschaftsgrade innerhalb der Anatidae: Eine evolutionstheoretische und systematische Betrachtung. *Journal für Ornithologie* 123,357-380.
- 2 Scherer S** (1983) Basic functional states in the evolution of cyclic photosynthetic electron transport. *Journal of Theoretical Biology* 104,289-299.
- 3 Scherer S, Sontag C** (1983) Phylogenetic and endosymbiotic implications of the amino acid sequences of 32 plant type ferredoxins. In: Schenk HEA, Schwemmler W (eds): *Endocytobiology II*, DeGruyter, Berlin, New York, pp. 863-870.
- 4 Scherer S** (1984) Transmembrane electron transport and the theory of neutral evolution. *Origins of Life* 14,725-731.
- 5 Scherer S** (1985) Could life have arisen in the primitive atmosphere? *Journal of Molecular Evolution* 22,91-94.
- 6 Scherer S, Binder H, Sontag C** (1985) Occurrence and amino acid sequences of cytochrome c and plastocyanin of algae and plants: Endocytobiotic implications. *Endocytobiology and Cell Research* 2,1-14.
- 7 Scherer S, Binder H** (1986) Comparison of biological classifications based on amino acid sequences and traditional taxonomy. In: Degens PO, Hermes HJ and Opitz O (eds) *Die Klassifikation und ihr Umfeld*. Frankfurt, pp324-332.
- 8 Scherer S, Sontag C** (1986) Zur molekularen Taxonomie und Evolution der Anatidae. *Zeitschrift für zoologische Systematik und Evolutionsforschung* 24,1-19.
- 9 Scherer S** (1989) The relative rate test of molecular evolution: A note of caution. *Molecular Biology and Evolution* 6,436-441.
- 10 Scherer S** (1990) The protein molecular clock: Time for a re-evaluation. *Evolutionary Biology* 24, 83-106. (R)
- 11 Scherer S, Herrmann G, Hirschberg J, Böger P** (1991) Evidence for multiple xenogenous origins of plastids: Comparison of psbA genes with a xanthophyte sequence. *Current Genetics* 19,503-507.
- 12 Scherer S, Lechner S, Böger P** (1993) psbD sequences of *Bumilleriopsis filiformis* (Heterokontophyta, Xanthophyceae) and *Porphyridium purpureum* (Rhodophyta, Bangiophycidae): evidence for polyphyletic origin of plastids. *Current Genetics* 24:437-442.
- 13 Loessner MJ, Estela LA, Zink R, Scherer S** (1994) Classification of 20 newly isolated *Listeria* bacteriophages by electron microscopy and protein analysis. *Intervirology* 37,31-35.
- 14 Valdes-Stauber N, Scherer S** (1996) Nucleotide sequence and taxonomical distribution of the bacteriocin gene linM18 from *Brevibacterium linens* M18. *Applied and Environmental Microbiology* 62,1283-1286.
- 15 Loewe L, Scherer S** (1997) Mitochondrial eve: The plot thickens. *Trends in Ecology and Evolution* 12:422-423. (R)
- 16 Lechner S, Mayr R, Francis KP, Prüß B, Kaplan T, Wießner-Gunkel E, Stewart GSAB, Scherer S** (1998) *Bacillus weihenstephanensis* sp.nov. is a new psychrotolerant species of the *Bacillus cereus* group. *International Journal of Systematic and Evolutionary Microbiology* 48, 1373-1382.
- 17 Prüß BM, Dietrich R, Nibler B, Märtilbauer E, Scherer S** (1999) The hemolytic enterotoxin HBL is broadly distributed over species of the *Bacillus cereus* group. *Applied and Environmental Microbiology* 65:5436-5442

- 18 Scherer S, Loewe L.** (2001) Probleme bei der Erklärung molekularer Maschinen durch Evolution. In: Weingartner P (ed) Evolution als Schöpfung? Ein Streitgespräch zwischen Philosophen, Theologen und Naturwissenschaftler. Kohlhammer, Stuttgart, pp.161-186
- 19 Oberreuter H, Seiler H, Scherer S** (2002) Identification of coryneform bacteria and related taxa by Fourier-transformed infrared (FT-IR) spectroscopy. International Journal of Systematic and Evolutionary Microbiology 52: 91-100
- 20 Oberreuter H, Charzinski J, Scherer S** (2002) Intraspecific diversity of *Brevibacterium linens*, *Corynebacterium glutamicum* and *Rhodococcus erythropolis* based on partial 16S rDNA sequence analysis and Fourier-transform infrared (FT-IR) spectroscopy. Microbiology 148:1523-1532
- 21 Scherer S, Junker R** (2003) Evolution. In: Enzyklopädie Naturwissenschaft und Technik, 8. Ergänzungslieferung, ecomed Verlagsgesellschaft, Landsberg/Lech, 1-10
- 22 Loewe L, Textor V, Scherer S** (2003) High deleterious genomic mutation rate in stationary phase of *Escherichia coli*. Science 302,1558-1560
- 23 Ehling-Schulz M, Fricker M, Scherer S** (2004) Identification of emetic toxin producing *Bacillus cereus* strains by a novel molecular assay. FEMS Microbiology Letters 232:189-195
- 24 Ehling-Schulz M, Svensson B, Guinebretiere MH, Lindback T, Andersson M, Schulz A, Fricker M, Christiansson A, Granum PE, Martlbauer E, Nyguyen-The C, Salkinoja-Salonen M and S. Scherer S** (2005) Emetic toxin formation of *Bacillus cereus* is restricted to a single evolutionary lineage of closely related strains Microbiology 151:183-197
- 25 Mayr R, Busse HJ, Worliczek HL, Ehling-Schulz M, Scherer S** (2006) *Ornithinibacillus* gen. nov. with the species *Ornithinibacillus bavariensis* sp. nov. and *Ornithinibacillus californiensis* sp. nov.. International Journal of Systematic and Evolutionary Microbiology 56:1383-1389
- 26 Rebuffo-Scheer, CA, Schmitt J, Scherer S** (2007) Differentiation of *Listeria monocytogenes* Serovars by using artificial neural network analysis of fourier-transformed infrared spectra. Applied and Environmental Microbiology 73, 3:1036-1040
- 27 Scherer S** (2007) Bakterielle Endosymbionten von Pflanzenläusen mit stark reduzierten Genomen. Stud. Int. J. 14:66-73
- 28 Scherer S, Ehling-Schulz** (2008) Riesiges Genreservoir eines Krankheitserregers. Spektrum der Wissenschaft 4:14-16.
- 29 Fuchs TM, Bresolin G, Marcinowski L, Schachtner J, Scherer S** (2008) Insecticidal genes of *Yersinia* spp.: taxonomical distribution, contribution to toxicity towards *Manduca sexta* and *Galleria mellonella*, and evolution. BMC Microbiology 8:214.
- 30 Scherer S** (2009) Makroevolution molekularer Maschinen: Konsequenzen aus den Wissenslücken evolutionsbiologischer Naturforschung. In: Hahn HJ, McClary R, Thim-Mabrey C (Hrsg.) Atheistischer und jüdisch-christlicher Glaube: Wie wird Naturwissenschaft geprägt? Forschungssymposium vom 02.-04.04.2008 an der Universität Regensburg, Noderstedt, Seite 95-149 [PDF](#)
- 31 Schmidt VS, Mayr R, Wenning M, Glöckner J, Busse HJ, Schere S** (2009) *Bavariococcus seileri* gen.nov., sp.nov., isolated from the surface and smear water of German red smear soft cheese. Int J Syst Evol Microbiol 59:2437-2443.
- 32 Bleicher A, Neuhaus K, Scherer S** (2010) *Vibrio casei* sp.nov., isolated from the surface of two French red smear soft cheeses. Int J Syst Evol Microbiol. 60:1745-1749
- 33 Scherer S** (2010) Zur Evolution des Bakterienrotationsmotors: Ist ein tragfähiges Modell für die Entstehung des bakteriellen Rotationsmotors bekannt? Stud. Int. J.17:3-15 [PDF](#)

- 34 Neuhaus K, Oelke D, Fürst D, Scherer S, Keim DA** (2010) Towards automatic detecting of overlapping genes - Clusters BLAST analysis of viral genomes. Pizzuti C, Ritchie MD, Giacobini M (Eds.). *EvoBio* 2010, LNCS 6023, 228-239.
- 35 Scherer S** (2010) Hat die Biologie das Leben erklärt? In: Thim-Mabrey C, Brack-Bernsen L, Täuber D (Hrsg.) *Naturwissenschaftliche Aussagen und sozial verantwortbare Entscheidungen*. Norderstedt 2010. Seite 133-183 [PDF](#)
- 36 Seiler H, Schmidt V, Wenning M, Scherer S** (2012) *Bacillus kochii* sp.nov., isolated from foods and a pharmaceuticals manufacturing site. *IJSM* 62:1092-1097
- 37 Schmidt V, Wenning M, Scherer S** (2012) *Sphingobacterium lactis* sp.nov. and *Sphingobacterium alimentarium* sp.nov., isolated from raw milk and a dairy environment. *IJSM* 62:1506-1511
- 38 Seiler H, Bleicher A, Busse H-J, Hübner J, Scherer S** (2012) *Psychroflexus halocasei* sp.nov., isolated from a microbial consortium on a cheese. *IJSM* 62:1850-1856
- 39 Mir K, Neuhaus K, Scherer S, Bossert M, Schober S** (2012) Predicting statistical properties of open reading frames in bacterial genomes. *PLOS one* 7, 9,e45103:1-12
- 40 Rieser G, Scherer S, Wenning M** (2012) *Naumannella halotolerans* gen.nov., sp.nov., a Gram-positive coccus of the family Propionibacteriaceae isolated from a pharmaceutical clean room and from food. *Int J Syst Evol Microbiol* 62:3042-3048
- 41 Lang Halter E, Neuhaus K, Scherer S** (2013) *Listeria weihenstephanensis* sp.nov., isolated from the water plant *Lemna trisula* taken from a freshwater pond. *IJSEM* 63:641-647
- 42 Seiler H, Wenning M, Schmidt V, Scherer S** (2013) *Bacillus gottheilii* sp.nov., isolated from a pharmaceutical manufacturing site. *IJSEM* 63:867-872
- 43 Rieser G, Scherer S, Wenning M** (2013) *Micrococcus cohnii* sp.nov., isolated from the air in a medical practice. *IJSEM* 63:80-85
- 44 Seiler H, Scherer S, Wenning M** (2013) *Lysinibacillus meyeri* sp.nov., isolated from a medical practice. *IJSEM* 63:1512-1518
- 45 Seiler H, Wenning M, Scherer S** (2013) *Domibacillus robiginosus* gen.nov., sp.nov., isolated from a pharmaceutical clean room. *IJSEM* 63:2054-2061
- 46 Fellner L, Bechtel N, Witting MA, Simon S, Schmitt-Kopplin P, Keim D, Scherer S, Neuhaus K** (2013) Phenotype of hgtA (mbiA), a recently evolved orphan gene of *Escherichia* and *Shigella*, completely overlapping in antisense of *yaaW*. *FEMS Microbiol Lett* 1-8.
- 47 Böhm M-E, Huptas C, Krey VM, Scherer S** (2015) Draft genome sequence of *Bacillus cytotoxicus* CVUAS 2833, a very close relative to type strain NVH 391-98 isolated from a different location. *Genome Announcements* Vol 3, 4 e00901-15
- 48 Böhm M-E, Huptas C, Krey V, Scherer S** (2015) Massive horizontal gene transfer, strictly vertical inheritance and ancient duplications differentially shape the evolution of *Bacillus cereus* enterotoxin operons *hbl*, *cytK* and *nhe*. *BMC Evolutionary Biology* 15:246
- 49 Simon S, Mittelstädt S, Kwon BC, Stoffel A, Landstorfer R, Neuhaus K, Mühlig A, Scherer S, Keim DA** (2015) VisExpress: Visual exploration of differential gene expression data *Info Vis*, 1-26, 14:1473871615612883
- 50 Fellner L, Simon S, Scherling C, Witting M, Schober S, Polte C, Schmitt-Kopplin P, Keim DA, Scherer S, Neuhaus K** (2015) Evidence for the recent origin of a bacterial protein-coding, overlapping orphan gene by evolutionary overprinting. *BMC Evol Biol*. 15:283.

51 Neuhaus K, Landstorfer R, Fellner L, Simon S, Schafferhans A, Goldberg T, Marx H, Ozoline ON, Rost B, Kuster B, Keim DA and Scherer S (2016) Translatomics combined with transcriptomics and proteomics reveals novel functional, recently evolved orphan genes in *Escherichia coli* O157:H7 (EHEC). *BMC Genomics* 17:133

52 Fellner L, Huptas C, Simon S, Mühlig A, Scherer S, and Neuhaus K (2016) Draft genome sequences of three European laboratory derivatives from enterohemorrhagic *Escherichia coli* O157:H7 strain EDL933, including two plasmids. *Genome Announcements* 4(2):e01331-15

53 Huptas C, Scherer S and Wenning M (2016) Optimized Illumina PCR-free Library Preparation for bacterial whole genome sequencing and analysis of factors influencing de novo assembly, *BMC Research Notes* 9: 269

54 von Neubeck M, Huptas C, Glück C, Krewinkel M, Stoeckel M, Stressler T, Fischer L, Hinrichs J, Scherer S and Wenning M (2016) *Pseudomonas helleri* sp. nov. and *Pseudomonas weihenstephanensis* sp. nov., isolated from raw cow's milk. *Int J Syst Evol Microbiol*, 66: 1163–1173.

55 Hücker SM, Ardern Z, Goldberg T, Schafferhans A, Bernhofer M, Vestergaard G, Nelson CW, Schlöter M, Rost B, Scherer S, Neuhaus K (2017) Discovery of numerous novel small genes in the intergenic regions of the *Escherichia coli* O157:H7 Sakai genome. *PLoS One*. 2017 Sep 13;12(9): e0184119